

RoboMIDI 60HP



ENERGREEN[®] *America*
Professional Machines



REMOTE
CONTROLLED
TOOL
CARRIER

61° SLOPE



REMOTE CONTROLLED
TOOL CARRIER



RoboMIDI
60HP

New Remote Controlled Tool Carrier

RoboMIDI is a remote-controlled tool-carrier able to work in the narrowest areas, on slopes up to 61° or where the access is very difficult.

Equipped with a **60 HP EPA Tier 4f diesel engine** and two double effect hydraulic functions it can carry various tools like a flail head, a forestry head, a stump grinder, a bucket etc.

RoboMIDI, thanks to its power, efficiency, reliability and strength, is completely different from other remote-controlled machines.



STRENGTHS

RoboMIDI 60HP



STRENGTHS



Safety and Comfort

- Radio controlled machine
- Operator recommended safety zone
- Emergency button on the remote control
- Excellent maneuverability
- Easy to use and carry




Working on steep slopes

- Excellent traction in all directions up to 61°
- New track design with large bearing surface
- Special oil sump
- Low center of gravity



Multifunction

- Multiple tools available
- Road and river maintenance
- Green maintenance and forestry work
- Agriculture and industry service
- Winter road service



Productivity

- Engine 60 HP EPA Tier 4f
- Quick change of attachment
- Fast execution of work
- Reduced consumption
- Maneuverability on all surfaces



OPERATOR
IN SAFETY
ZONE

RoboMIDI is Safety

RoboMIDI is a remote-controlled machine, able to be operated **safely** in **dangerous areas**, with slopes up to **61°** in any direction.

The exceptional stability of the machine is given by a low center of gravity, a special oil sump and rubber or steel tracks for excellent traction.

The **safety of the operator** is one of our goals: the use of the remote control with up to **492 ft** range avoids several work risks to the operator such as noise, vibrations, exposure to exhaust materials, etc.



EMERGENCY
BUTTON

*Robo***MIDI**
60HP

THE **REMOTE CONTROL**
IS LIGHTWEIGHT, INTUITIVE,
AND EASY TO MASTER

492 FT

QUALITY

RoboMIDI
60HP



QUALITY COMPONENTS ✓

RoboMIDI is built with an ultra-resistant steel to ensure a long lifetime; all the components are tested and certified to ensure the maximum reliability and safety.

- Engine tested by the producer with a remarkable reputation for reliability.
- Remote-control technology developed by a team of specialized experts.
- Powerful and efficient engine, ideal for steep slopes.
- Engine crankcase designed to ensure the oil, even on steep slopes.
- Double roll bar integrated into the frame to ensure protection of the machine.
- Independent cooling system of the hydraulic system to optimize the performances.
- Flat bottom frame to protect the under carriage.
- Fully enclosed body panels to keep out grass and debris.
- Front lifter with quick attachment mounting system.


Born to satisfy the most difficult needs, **RoboMIDI** can easily be defined as a remote-controlled grass cutting machine with power and performances comparable to a traditional grass cutting boom for tractors. These essential features distinguish this machine from any other grass cutter robot: **power, reliability, strength** and **high efficiency**.



60 HP YANMAR ENGINE
EPA TIER 4F




THE BEST COMPONENTS



FREXXAIRE® SELF-CLEANING REVERSIBLE FAN

RoboMIDI is equipped with the **self-cleaning reversible fan FLEXXAIRE®**, to increase productivity and fuel saving.



LED
LIGHTS


Working on steep slopes up to 61°

The **special design of the tracks**
and its **tensioning system**
makes **RoboMIDI** a safe machine for working
on slopes up to **61°** in any direction:
hill and mountain areas, slopes,
embankments, and in all those places where
the adherence is very low and where a machine
for high slopes is required.



LOWERED CENTER OF GRAVITY

RoboMIDI



LOWERED
CENTER
OF GRAVITY

61°



Track profile with the largest contact surface and smallest specific weight on the ground

OPTION A

SUPER RUBBER TRACKS

- 12" of width
- Wide supporting surface with consequent less weight per sq inch
- Work on sloping areas up to 61°

IDEAL FOR FORESTRY WORKS OR AREAS WITH DENSE VEGETATION

OPTION B

STEEL TRACKS

- 10" of width
- Excellent adherence to the ground
- Work on sloping areas up to 61°

IDEAL TRACKS FOR ROCKY OR WET SURFACES

COGWHEEL OF THE TRACK IN TEMPERED STEEL

LARGEST CONTACT SURFACE ON THE GROUND

TRACK TENSIONER WITH SAFETY SPRING

MULTIFUNCTION



The suitable tool for every work

RoboMIDI is a technologically advanced machine that responds to the current needs of safety and performances required by the market.

Energreen, with its range of Robo machines, wants to change the traditional concept of grass cutting and other kinds of works, creating a remote-controlled machine, that can mow where previously there was only the possibility to use hand brush cutters; this represents a new frontier of use, where the safety of the operators is put first.

RoboMIDI is certainly faster than the traditional way of mowing; it allows to optimize the work in the most different working environments.



HEAD 155
MULCHER HEAD



FORESTRY 140 H* / T**
FORESTRY HEAD



STUMP GRINDER



WINCH



TRENCHER



SNOW BLOWER




FORESTRY WINCH



BIO-SHREDDER
CHIPPER



STANDARD



CONNECTION
LEVER



ATTACHMENT
PIN



SAFETY
LEVER



Quick Attachment

RoboMIDI is a remote-controlled tool-carrier equipped with a dedicated lifter which allows a quick-change system, making the work easier and multifunction.



OPTIONAL



Strong radiator protection

RoboMIDI can be equipped with a rear steel protection for the radiator (optional). It is a solid structure made up of metal tubes and plates designed to limit damages in case of collision. The structure is handy and easy to open, making everyday maintenance much easier, thanks also to the possibility of lifting it and have an easy access to the radiator.



Command board with 4.3" color display



Front lifter with quick attachments with safety lever (A)




Led lights



Hydraulic tension of the tracks




60 HP Yanmar engine EPA Tier 4f



Engine compartment easy to check



Steel air filter protection



Double roll bar integrated into the frame

OPTIONAL




CEJN quick hydraulic couplings



Steel radiator protection




Led light



Led flashing beacon

TECHNICAL DATA



* Super rubber tracks
** Steel traks

RoboMIDI

Maximum slope	61°
Transmission	Hydrostatic
Low range speed	0 - 1.86 mph
High range speed	0 - 3.72 mph
Machine weight with steel traks	3792 lbs
Weight with super rubber tracks	3615 lbs

ENGINE

Brand	Yanmar
Type	4 Cylinders Diesel
Power	60 HP (44,7 kW) EPA Tier 4f
Fuel tank capacity	8 gal
Working RPM	2700 rpm

REMOTE CONTROL

Brand	Autec
Radio frequency	915 Mhz
Working range	492 ft
Joystick	Proportional
Battery (Li-Ion)	Rechargeable

REMOTE CONTROL CASE standard



Technical and construction specifications may be subject to change without prior notice.



*Robo***MIDI**

f y i in **ENERGREENAMERICA.COM**



REMOTE CONTROLLED TOOL CARRIER



Local dealership



ENERGREEN America · 227 Trade Ct. · Aiken · SC 29805 · USA
Phone 470 989 2600 · info@energgreenamerica.com
www.energgreenamerica.com

PROFESSIONAL MACHINES AND ATTACHMENTS

